



# Kjellberg

## FINSTERWALDE

the  
FINE FOCUS  
company

## FineMarker for Marking, Notching and Punching

### Plasma Marking System

- Marking of mild steels, alloyed steels, primed plates, aluminium; suitable also on wet and greasy surfaces
- Marking speed 1.5 m up to 12 m/min
- Marking depth and width adjustable by plasma arc
- Duty cycle 100 %, torch water cooled
- Easy notching and punching operation by parameter control
- Digital display of current and voltage
- Interface for CNC-controls;  
optional: Marking current from CNC and output of marking voltage



### Positive Points for the FineMarker

- + Point for point punch setting for drill-holes
- + Temporary or fixed marking of materials
- + Mark setting and lettering for further operations
- + Measure marking on workpieces

### Technical Data

	FineMarker
Art. no.	11.032.602
Mains voltage	3 x 400 V
Fuse, slow	16 A
Arc current	4 - 25 A
Open circuit voltage	290 V
Duty cycle	100 %
Weight	30 kg
Dimensions (L x W x H)	710 x 400 x 440 mm
Marking gases	Argon or Air
Marking speed	1,5 - 12 m/min
Plasma gas consumption	7,0 l/min

Our products are produced according to the latest technical developments. We reserve the rights for technical changes during production. Therefore, claims of whatever kind can't be derived from prospectus.



# Kjellberg

## FINSTERWALDE

Kjellberg Finsterwalde Elektroden und Maschinen GmbH  
Germany D - 03238 Finsterwalde Leipziger Str. 82  
Tel.: +49 3531 500-0 Fax: +49 3531 500-227  
e-mail: [kjellberg@kjellberg.de](mailto:kjellberg@kjellberg.de)  
Internet: <http://www.kjellberg.de>

02-06-02